OXID EShop Community Edition 4.5.0





http://www.gennai3.co.jp



目 次	
1 インストールの環境	2
1.10S と OXID eShop の環境	2
1.2インストールのシステム要件	2
第2章 インストール手順	4
1.1 ダウンロード	4
1.2 ソースプログラムの解凍、設定	4
1.3 インストールウィザードの実行	5
1.4 インストール後	5
第3章 スクリーンショット	6
お問い合わせ	15
クレジット 謝辞 ライセンス	16
1.5 クレジット	16
1.6 謝辞	16
1.7 ライセンス	16

# 1インストールの環境

# 1.1 OS とOXID eShop の環境

OS: Debian

OXID eShop : OXID eShop Community Edition 4.5.0

#### 1.2 インストールのシステム要件

・Webサーバー

Apache Version 1.3 以上 Zend Optimizer 3.3.0 以上 Minimum 100 MB of free webspace mod\_rewrite module 必須

・MySQLデータベース

MySQL 5.0.33 以上

Due to a bug in MySQL 5.0.36 and 5.0.37 as well as 5.0.41, the OXID eShop does not run properly with these versions. If you are using MySQL 5.0.36 or 5.0.37, update MySQL to a newer version.

Database user permissions must allow views creation/deletion

・PHP 言語

PHP 5.2.0\* 以上 PHP 5.2.6 以上を推奨 memory\_limit set at least to 14 MB. 30MB recommended. Activate allow\_url\_fopen or fsockopen to port 80 Apache server variables REQUEST\_URI or SCRIPT\_URI must be set. Switch off PHP4 compatibility mode. (zend.ze1\_compatibility\_mode = Off) ini\_set allowed register\_globals off

以下のPHP 言語のエクステンションモジュールが必要です:

GD LIB Version 2.x

MySQL client connector for MySQL 5

bcmath

JSON

php-xml

libxml2

iconv-extension

tokenizer

mbstring

cURL

### 第2章 インストール手順

#### 1.1 ダウンロード

・コミュニティエディションのダウンロード以下のサイトから最新版をダウンロードします。 OXIDには、ほかに、有償のプロフェッショナル版とエンタープライズ版があります。

http://www.oxidforge.org/downloads

・データベースの作成

MySQLのデータベースを作成します。UTF-8で作成することを推奨します。

CREATE DATABASE 'database-name' DEFAULT CHARACTER SET utf8 COLLATE utf8\_general\_ci;

確認しましょう sql> show databases;

データベースユーザーへの権限で、一般的な CMS 作成時の権限に追加して、CREATE VIEW を設定します。OXID ではインストール時に必要となります。

#### 1.2 ソースプログラムの解凍、設定

ダウンロードしたソースファイルは ZIP 形式です。そのまま解凍すると同じディレクトリに全てのデータが解凍されるので、事前に解凍先のディレクトリを作成します。

その後、インストール先の OS が Debian および FreeBSD の場合は、ファイルのパーミッショ ンを以下のように修正します。

・書き込み権限を設定します。

/out/pictures/ (recurse into subdirectories)

/out/media/ (recurse into subdirectories)

/out/<sTheme from config.inc.php>/src/ (recurse into subdirectories) (/out/basic/src/ during setup)

/log/ (recurse into subdirectories)

<sCompileDir from config.inc.php> (recurse into subdirectories) (/tmp/ during setup)

インストール作業中は書き込み可能にします。 chmod 777 などで

/config.inc.php /.htaccess

インストール終了後は、読み込み専用にします。 chmod 444 などで

/config.inc.php /.htaccess

その他、インストールの詳細手順、以下の英語サイトを参参照しましょう。

http://wiki.oxidforge.org/Installation#Files\_.26\_Folder\_Permission\_Setup

#### 1.3 インストールウィザードの実行

サイトの URL を入力するとインストールプログラムが実行されます。 もし、表示されない場合は、.htaccess などの設定が原因の場合がありますので、確認しましょう。

UTF-8を選択します。

#### 1.4 インストール後

インストール終了後、setup ディレクトリを削除、 config.inc.php ファイルを読み込み専用に 設定します。

# 第3章 スクリーンショット

# インストール後に、サイトヘアクセス(http://www.ドメイン名/)すると以下のような画面が表示されます。赤の箇所がインストール環境として問題があるところで、修正し、再実行します。

ecking if your system s the requirements	2. Welcome Welcome to OXID eShop installation wizard	25hop 3. License conditions 4. Database Confirm license conditions Test database connect building tables		5. Directory & login Configuring directories and selecting admin login	6. Finish Installation succeeded
this step we check if	your system fits the require and shop is: English 💽 , If	ments: needed, activate easily more la	anguages in admin.		
PHP extensions PHP version at least LIB XML2 DOM JSON ICONV Tokenizer MySQL client connec GDib v2 [v1] incl. JF mbstring cURL BCMath OpenSSL SOAP	5.2.0 ctor for MySQL 5 PEG support	PHP configuration allow_url_fopen or fsock Zend compatibility mode REQUEST_URI set ini_set allowed register_globals must be PHP Memory limit (min. 1 UTF-8 support	open to port 80 must be off off 4MB, 30MB recommended)	Server configuration apache mod_rewrite module Files/folders access rights	2
Your system fits the     The requirement is     Your system doesn'     The requirement co	e requirement. not or only partly fit. The OXI t fit the requirement. The OX vuld not be checked.	D eShop will work anyway and c ID eShop will not work without i	an be installed t and cannot be installed.		

# ファイルのパーミッションなど、問題がある箇所を修正すると以下のようにすべて緑になりますので、再度、実行します。



# インストール先の国、Japan などを選択します。 言語は英語を選択します。日本語は作業中で す。

OXID esales					
1. System Requirements Checking if your system fits the requirements	2. Welcome Welcome to OXID eShop installation wizard	3. License conditions Confirm license conditions	4. Database Test database connection, building tables	5. Directory & login Configuring directories and selecting admin login	6. Finish Installation succeeded
Welcome to installation w	vizard of OXID eShop				
Main delivery country:	Austria	If need	ed, activate easily more delive	ery countries in admin	
Check for available up	pdates regularly Nowing instructions to guara	ntee a smooth installation. Wis	hes for best success in using y	our OXID eShop by	
OXID eSales AG Bertoldstr. 48 79098 Freiburg Deutschland					
Start installation					
© OXID eSales AG 2003 - 20	11				

#### ライセンス情報の確認



System Requirements hecking if your system ts the requirements	2. Welcome Welcome to OXID eShop installation wizard	3. License conditions Confirm license conditions	4. Database Test database connection, building tables	5. Directory & login Configuring directories and selecting admin login	6. Finish Installation succeeded
GNU GENERA Version 3, Copyright (C) 2007 Free Everyone is permitted tu of this license document	LPUBLIC LICENSE 29 June 2007 Software Foundation, Inc. « o copy and distribute verbati but changing it is not allowe	" http://fsf.org/> m copies d.	•	и	
Preambl The GNU General Public software and other kinds The licenses for most so to take away your freed the GNU General Public L share and change all vers software for all its users GNU General Public Licen any other work released your programs, too	e License is a free, copyleft lice of works. If ware and other practical w mo to share and change the w icense is intended to guarant ions of a program-to make s . We, the Free Software Fou se for most of our software; this way by its authors. You	ense for orks are designed orks. By contrast, ee your freedom to ure it remains free dation, use the it applies also to can apply it to			
C I acceppt license cond I do not accept license	itions. • conditions.				

データベースの設定をします。 UTF-8を使用する設定を使います。



1. System Requirements	2. Welcome	3. License conditions	4. Database	5. Directory & login	6. Finish
Checking if your system fits the requirements	Welcome to OXID eShop	Confirm license conditions	Test database connection, building tables	Configuring directories and selecting admin login	Installation succeeded
nes die requirements			Salaring cases	and searching dominio But	
Database is going to be cr	eated and needed tables are v	vritten. Please provide some in	formation:		
Database hostname	localhost				
Database name: (	If database does not exist, it	s going to be created)			
Database username:					
Database password:		Show password	t		
Demodata:	Install demodata Do not install demodata				
Use UTF-8 character mi encoding: If se	UTF-8 character encoding ultilingual eShops. However, U you plan to provide your eSho ts (e. g. English, German, Fre	provides better support for sp TF-8 is slightly slower than the p in many different languages, nch), you don't need UTF-8.	becial chars than other charac standard encoding (ISO 8859-1 you should use UTF-8. If you ju	ter encodings. This is particu 5). Ist want to provide a few lang	lary important for Juages using related symbol
Create database now					
© OXID eSales AG 2003 - 20	011				

### サイトの URL を設定します。 アドミニストレーターのログイン名、パスワードなどを設定します。



1. System Requirements Checking if your system fits the requirements	2. Welcome Welcome to OX installation wiz	ID eShop ard	3. License conditions Confirm license conditions	4. Database Test database connection, building tables	5. Directory & login Configuring directories and selecting admin login	6. Finish Installation succeeded
Please provide neccesary d Shop URL: Directory for OXID eShop:	lata for running C	XID eShop: http://det	vian1/ox1/			
Directory for temporary of Administrator e-mail (used Administrator password:	data: I as login name):	  /var/www	/ox1/tmp/	freely selectable, min. 6 char	s	
Save and continue	isword:	1				
© OXID eSales AG 2003 - 20	11					

# インストール終了後、setup ディレクトリを削除、config.inc.php ファイルを読み込み専用に設定します。

OXID esales					
1. System Requirements	2. Welcome	3. License conditions	4. Database	5. Directory & login	6. Finish
Checking if your system fits the requirements	Welcome to OXID eShop installation wizard	Confirm license conditions	Test database connection, building tables	Configuring directories and selecting admin login	Installation succeeded
Your OXID eShop has been	installed successfully.				
Continue to your OXID es	Shop: <u>To S</u>	hop			
Continue to your OXID es	Shop admin interface: <u>To a</u>	dmin interface			
Attention, importa	ant:				
Due to security re	asons remove setup	directory if not yet	done during installa	tion.	
Due to security re	asons put your con	fig.inc.php file to rea	ad-only mode!		
© OXID eSales AG 2003 - 20	11				

#### インストール後、最初のサイトのトップ画面



OXID Online Shop - All about watersports, sportswear and fashion Extensive product range and fast shipping guaranteed!

#### 管理画面



▶ Favorites

-

# お問い合わせ

このマニュアルに関するお問い合わせ、もしくはご意見、ご質問、ご要望などは以下のところま でご連絡下さい。

Gennai3株式会社 〒 210-0844 神奈川県川崎市川崎区渡田新町1-4-9-201 TEL 044-220-1588 FAX 044-220-1588

このマニュアル作成担当者宛ての電子メール: hodota@gennai3.co.jp まで

# クレジット 謝辞 ライセンス

#### 1.5 クレジット

このマニュアルの著者は、Gennai3株式会社です。

#### 1.6 謝辞

### 1.7 ライセンス

本マニュアルの著作権は、以下のライセンスになります。

GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; A copy of the license is included in the appendix entitled "GNU Free Documentation License".

OXID eShop および本マニュアルで使われている製品および名称については、それぞれの所有者の商標または登録商標です。